

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	616	455/453.ccls.	US- PGPUB ; USPAT ; EPO; JPO
2	BRS	L2	1872	455/522.ccls.	US- PGPUB ; USPAT ; EPO; JPO
3	BRS	L3	2439	1 or 2	US- PGPUB ; USPAT ; EPO; JPO
4	BRS	L4	30925	cdma	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	20856 52	power	US- PGPUB ; USPAT ; EPO; JPO
6	BRS	L6	1410	3 and 4 and 5	US- PGPUB ; USPAT ; EPO; JPO
7	BRS	L7	12891	balanc\$3 same system same load	US- PGPUB ; USPAT ; EPO; JPO
8	BRS	L8	5839	balanc\$3 with system with load	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	2013	balanc\$3 near3 system near3 load	US- PGPUB ; USPAT ; EPO; JPO
10	BRS	L10	12	6 and 9	US- PGPUB ; USPAT ; EPO; JPO
11	BRS	L11	5218	rpc or reverse adj power adj control	US- PGPUB ; USPAT ; EPO; JPO
12	BRS	L12	92	6 and 11	US- PGPUB ; USPAT ; EPO; JPO

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	0	9 and 12	US- PGPUB ; USPAT ; EPO; JPO